

Refine Search

Search Results -

Term	Documents
TAKEN	2307757
TAKENS	64
CONCURRENT\$4	0
CONCURRENT	93441
CONCURRENTCY	1
CONCURRENTELY	1
CONCURRENTTEST	1
CONCURRENTFLOW	1
CONCURRENTIE	1
CONCURRENTIT	1
CONCURRENTIY	4
((((CONCURRENT\$4 OR SIMULTANEOUS\$3 OR PARALLEL\$7) NEAR8 EXECUT\$3 AND (FETCH\$5 OR PREFETCH\$5) AND BRANCH\$5 NEAR10 DECOD\$4 AND TAKEN AND (INHIBIT\$4 OR HALT\$4 OR CANCEL\$5 OR SUSPEND\$3 OR SUSPENSION\$1) NEAR8 (INSTRUCTION\$1 OR MICROINSTRUCTION\$1 OR MACROINSTRUCTION\$1) AND IDENTIF\$7).CLM.).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	1

There are more results than shown above. [Click here to view the entire set.](#)

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L36

[Refine Search](#)

[Recall Text](#)

[Clear](#)

[Interrupt](#)

Search History

DATE: Thursday, August 17, 2006 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L36</u>	((concurrent\$4 or simultaneous\$3 or parallel\$7) near8 execut\$3 and (fetch\$5 or prefetch\$5) and branch\$5 near10 decod\$4 and taken and (inhibit\$4 or halt\$4 or cancel\$5 or suspend\$3 or suspension\$1) near8 (instruction\$1 or microinstruction\$1 or macroinstruction\$1) and identif\$7).clm.	1	<u>L36</u>
<u>L35</u>	((fetch\$5 or prefetch\$5) and branch\$5 near10 decod\$4 and taken and (inhibit\$4 or halt\$4 or cancel\$5 or suspend\$3 or suspension\$1) near8 (instruction\$1 or microinstruction\$1 or macroinstruction\$1) and identif\$7).clm.	3	<u>L35</u>
<u>L34</u>	L33 not l9	3	<u>L34</u>
<u>L33</u>	L32 and l8	356	<u>L33</u>
<u>L32</u>	L31 and l4	426	<u>L32</u>
<u>L31</u>	(inhibit\$4 or halt\$4 or cancel\$5 or suspend\$3 or suspension\$1) near8 (instruction\$1 or microinstruction\$1 or macroinstruction\$1)	14105	<u>L31</u>
<i>DB=PGPB,USPT; PLUR=YES; OP=OR</i>			
<u>L30</u>	l10 and l15	12	<u>L30</u>
<u>L29</u>	l10 and l14	68	<u>L29</u>
<u>L28</u>	l10 and l13	7	<u>L28</u>
<u>L27</u>	l10 and l12	77	<u>L27</u>
<u>L26</u>	l10 and l11	228	<u>L26</u>
<u>L25</u>	l9 and l15	16	<u>L25</u>
<u>L24</u>	l9 and l14	83	<u>L24</u>
<u>L23</u>	l9 and l13	12	<u>L23</u>
<u>L22</u>	l9 and l12	100	<u>L22</u>
<u>L21</u>	l9 and l11	292	<u>L21</u>
<u>L20</u>	l7 and l15	18	<u>L20</u>
<u>L19</u>	l7 and l14	95	<u>L19</u>
<u>L18</u>	l7 and l13	15	<u>L18</u>
<u>L17</u>	l7 and l12	113	<u>L17</u>
<u>L16</u>	l7 and l11	340	<u>L16</u>
<u>L15</u>	(711/213)[CCLS]	457	<u>L15</u>
<u>L14</u>	(712/23,41)[CCLS]	841	<u>L14</u>
<u>L13</u>	(712/245-248)[CCLS]	794	<u>L13</u>
<u>L12</u>	(712/23-43, 208-240)![CCLS]	3391	<u>L12</u>
<u>L11</u>	(712/2-300)[CCLS]	12464	<u>L11</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L10</u>	L9 and branch\$3 near8 decod\$3	264	<u>L10</u>
<u>L9</u>	L8 and l7	353	<u>L9</u>
<u>L8</u>	(identif\$6 or id) near8 (instruction\$1 or microinstruction\$1 or macroinstruction\$1)	36602	<u>L8</u>

<u>L7</u>	L6 and l4	420	<u>L7</u>
<u>L6</u>	L5	13605	<u>L6</u>
<u>L5</u>	(inhibit\$4 or halt\$4 or cancel\$5 or suspend\$3 or syspension\$1) near8 (instruction\$1 or microinstruction\$1 or macroinstruction\$1)	13605	<u>L5</u>
<u>L4</u>	L3 and l2	1087	<u>L4</u>
<u>L3</u>	(fetch\$5 or prefetch\$5) and (branch\$4) near7 (predict\$5 or speculat\$5) near25 taken	1747	<u>L3</u>
<u>L2</u>	(concurrent\$4 or simultaneous\$3 or parallel\$7) near8 execut\$3	66419	<u>L2</u>
<u>L1</u>	(fetch\$5 or prefetch\$5) and (branch\$4) near7 (predict\$5 or speculat\$5)	4203	<u>L1</u>

END OF SEARCH HISTORY


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [All](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((fetch*, prefetch*) <and> (branch*) <near/10> decod* <and> taken)<in>met..."

[e-mail](#)

Your search matched 2 of 1392165 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(((fetch*, prefetch*) <and> (branch*) <near/10> decod* <and> taken)<in>metadata)

[Search](#)☐ Check to search only within this results set

» Key

Display Format:



Citation



Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#)[Select All](#) [Deselect All](#)**1. Control speculation for energy-efficient next-generation superscalar processors**

Aragon, J.L.; Gonzalez, J.; Gonzalez, A.;

[Computers. IEEE Transactions on](#)

Volume 55, Issue 3, March 2006 Page(s):281 - 291

Digital Object Identifier 10.1109/TC.2006.32

Summary: Conventional front-end designs attempt to maximize the number of "in-flight" instruction. However, branch mispredictions cause the processor to fetch useless instructions that are eventually increasing front-end energy and[AbstractPlus](#) | Full Text: [PDF](#)(3552 KB) IEEE JNL[Rights and Permissions](#)**2. Power-aware control speculation through selective throttling**

Aragon, J.L.; Gonzalez, J.; Gonzalez, A.;

[High-Performance Computer Architecture, 2003. HPCA-9 2003. Proceedings. The Ninth International Conference on](#)

8-12 Feb. 2003 Page(s):103 - 112

Digital Object Identifier 10.1109/HPCA.2003.1183528

Summary: With the constant advances in technology that lead to the increasing of the transistor clock frequency, power dissipation is becoming one of the major issues in high-performance processors. To increase their clock frequency.....[AbstractPlus](#) | Full Text: [PDF](#)(428 KB) IEEE CNF[Rights and Permissions](#)Indexed by
 Inspec®[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2006 IEEE